

Mackenzie North Groundwater Quality Monitoring
pH, EC, TDS, Major Ions, Hydrocarbon Data

Bore ID	Sample Date	pH		Electrical Conductivity		TDS	Major Ions										Total Petroleum Hydrocarbons								
		Field	Lab	Field	Lab	Total Dissolved Solids (TDS)	Calcium	Magnesium	Sodium	Potassium	Chloride	Sulfate	Hydroxide Alkalinity	Carbonate Alkalinity	Bicarbonate Alkalinity	Total Alkalinity	C6 - C9 Fraction	C10 - C14 Fraction	C15 - C28 Fraction	C29 - C36 Fraction	C10 - C36 Fraction (sum)	C10 - C14 Fraction (SVSG)	C15 - C28 Fraction (SVSG)	C29 - C36 Fraction (SVSG)	C10 - C36 (sum) Fraction (SVSG)
		pH	pH	µS/cm	µS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L				
JMR22WP	16-Feb-2023	12.41	12.1	10748	10400	5770	371	<1	1320	35	1960	68	1000	101	<1	1100	<20	70	150	<50	220				
JMR22WP	16-May-2023	7.84	8.07	16551	17400	10800	108	68	3660	10	6000	1	<1	<1	144	144	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR22WP	14-Aug-2023	8.36	8.24	16842	19400	11200	166	75	3760	11	5150	1	<1	<1	139	139	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR22WP	21-Nov-2023	11.67	12	9453	8670	4160	320	<1	1160	70	1630	63	699	57	<1	756	<20	140	600	<50	740	<50	<100	<50	<50
JMR22WP	08-Feb-2024	11.6	12.2	8547	9010	4410	326	<1	1120	59	1720	67	882	64	<1	946	<20	50	340	<50	390	<50	<100	<50	<50
JMR22WP	08-May-2024	11.79	12.2	8651	8970	3930	385	<1	1120	44	1590	56	831	67	<1	899	<20	70	240	<50	310	<50	<100	<50	<50
JMR22WP	04-Sep-2024	11.64	12.2	9497	8410	3880	331	<1	1020	29	1660	58	780	78	<1	859	<20	60	130	<50	190	<50	<100	<50	<50
JMR23WA	16-Feb-2023	7.23	6.97	944	899	632	48	32	103	3	90	24	<1	<1	326	326	<20	<50	<100	<50	<50				
JMR23WA	16-May-2023	6.8	7.87	822	753	445	44	26	80	3	73	10	<1	<1	270	270	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR23WA	14-Aug-2023	6.76	7.33	837	787	484	50	29	87	3	76	5	<1	<1	289	289	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR24WP	12-Nov-2019	7.56	8.14	9490	9570	6530	224	131	1590	8	3270	8	<1	<1	222	222	<20	<50	<100	<50	<50				
JMR24WP	20-Apr-2020	7.53	7.97	7950	8250	5190	202	152	1220	8	2670	<1	<1	<1	198	198	<20	<50	<100	<50	<50				
JMR24WP	16-Nov-2020	7.61	7.98	8269	7860	5570	203	147	1300	9	2800	4	<1	<1	215	215	<20	<50	<100	<50	<50				
JMR24WP	26-Jan-2021	7.33	7.98	8308	8020	5210	191	144	1200	7	2850	12	<1	<1	204	204	<20	<50	<100	<50	<50				
JMR24WP	19-May-2021	7.32	7.94	7966	7810	4510	180	124	1170	7	2740	2	<1	<1	203	203	<20	<50	<100	<50	<50				
JMR24WP	24-Jan-2022	7.58	8.04	7752	7790	5140	189	137	1300	8	2720	1	<1	<1	212	212	<20	<50	<100	<50	<50				
JMR24WP	08-Jun-2022	7.6	8.09	7670	7830	5260	181	132	1300	8	2680	1	<1	<1	204	204	<20	<50	<100	<50	<50				
JMR24WP	05-Oct-2022	7.24	7.77	7875	8230	4630	168	126	1420	7	2630	2	<1	<1	221	221	<20	<50	<100	<50	<50				
JMR24WP2	20-Apr-2020	7.38	7.96	8587	8870	5500	182	125	1290	8	2910	2	<1	<1	204	204	<20	<50	<100	<50	<50				
JMR24WP2	17-Nov-2020	7.4	7.86	8036	7730	5190	172	111	1370	7	2750	<1	<1	<1	214	214	<20	<50	<100	<50	<50				
JMR24WP2	27-Jan-2021	6.79	7.8	11491	11200	6420	281	171	1910	8	3430	404	<1	<1	992	992	70	<50	960	610	1570				
JMR24WP2	19-May-2021	7.34	7.96	7553	7400	4250	139	90	1150	7	2550	<1	<1	<1	233	233	<20	<50	<100	<50	<50				
JMR24WP2	24-Jan-2022	7.54	8.07	7059	7110	4550	144	97	1290	7	2350	<1	<1	<1	282	282	<20	50	150	120	320				
JMR24WP2	08-Jun-2022	7.62	8.2	6912	7060	4460	134	93	1270	6	2260	<1	<1	<1	266	266	<20	<50	<100	80	80				
JMR24WP2	05-Oct-2022	7.31	7.89	7116	7460	4410	120	90	1280	6	2280	6	<1	<1	298	298	<20	<50	<100	<50	<50				
JMR24WP2	16-Feb-2023	7.8	7.47	6912	6390	4030	122	82	1160	7	2100	1	<1	<1	311	311	<20	<50	<100	<50	<50				
JMR24WP2	08-May-2023	7.25	8.12	7397	8060	4560	157	122	1230	8	2540	1	<1	<1	207	207	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR24WP2	14-Aug-2023	7.25	7.9	7487	8830	4960	191	135	1270	8	2700	2	<1	<1	202	202	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR24WP2	21-Nov-2023	7.22	7.92	7671	7890	5380	170	127	1220	8	2620	<1	<1	<1	197	197	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR24WP2	08-Feb-2024	7.3	7.78	7591	7690	4890	175	126	1190	8	2590	<1	<1	<1	217	217	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR24WP2	08-May-2024	7.27	7.78	7257	7420	4940	174	120	1130	7	2490	2	<1	<1	213	213	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR24WP2	06-Aug-2024	7.03	7.91	7560	7580	4860	169	128	1220	8	2560	<1	<1	<1	241	241	<20	<50	<100	<50	<50	<50	<100	<50	<50
JMR24WP2	24-Feb-2025	7	7.72	6959	7010	4780	173	125	1160	8	2480	4	<1	<1	218	218	<20	<50	150	<50	150	<50	<100	<50	<50
JMR25WA	11-Sep-2018	6.45	7.01	1171	1190	905	67	43	66	5	282	14	<1	<1	161	161	<20	<50	100	50	150				
JMR25WA	29-Nov-2018	6.45	6.93	1299	1200	738	81	44	80	5	298	17	<1	<1	153	153	<20	<50	<100	<50	<50				
JMR25WA	24-Jan-2019	6.5	6.99	1273	1200	1010	82	44	83	5	302	15	<1	<1	171	171	<20	<50	<100	<50	<50				
JMR25WA	27-Mar-2019	6.66	7.51	1292	1260	909	93	49	97	6	297	16	<1	<1	163	163	<20	<50	<100	<50	<50				
JMR25WA	15-May-2019	6.47	7.14	1374	1220	919	96	50	96	5	334	16	<1	<1	166	166	<20	<50	<100	<50	<50				
JMR25WA	25-Jul-2019	6.78	7.03	1272	1280	815	82	43	87	5	316	14	<1	<1	184	184	<20	<50	<100	<50	<50				
JMR25WA	12-Nov-2019	6.44	7.32	1285	1280	942	90	45	99	5	327	8	<1	<1	189	189	<20	<50	<100	<50	<50				
JMR25WA	20-Apr-2020	6.54	7.44	1561	1560	1040	99	60	122	3	401	6	<1	<1	197	197	<20	<50	<100	<50	<50				
JMR25WA	16-Nov-2020	6.54	7.16	1904	1870	1430	120	74	159	4	522	5	<1	<1	242	242	<20	<50	<100	<50	<50				
JMR25WA	26-Jan-2021	6.56	7.55	2029	1920	1460	113	74	153	2	545	6	<1	<1	235	235	<20	<50	<100	<50	<50				
JMR25WA	19-May-2021	6.74	7.71	2358	2220	1510	124	77	178	2	656	2	<1	<1	276	276	<20	<50	<100	60	60				
JMR25WA	24-Jan-2022	6.68	7.48	2072	2070	1670	130	80	183	5	590	3	<1	<1	270	270	<20	<50	170	120	290				
JMR4WA	09-Sep-2018	6.51	7.05	7189	6570	3610	271	275	783	8	1620	96	<1	<1	838	838	<20	60	140	<50	200				
JMR4WA	18-Nov-2018	6.54	6.97	6665	6450	3980	290	253	793	8	1440	81	<1	<1	834	834	<20	<50	<100	<50	<50				
JMR4WA	24-Jan-2019	6.4	7.13	6604	6360	4280	299	253	784	8	1670	78	<1	<1	843	843	<20	<50	<100	<50	<50				
JMR4WA	27-Mar-2019	6.73	7.68	6407	6400	3990	294	254	795	8	1510	88	<1	<1	832	832	<20	70	130	<50	200				
JMR4WA	15-May-2019	6.56	7.07	6547	6070	4440	302	247	757	8	1720	102	<1	<1	794	794	<20	70	130	<50	200				
JMR4WA	24-Jul-2019	6.37	7.03	6614	6550	4170	286	233	727	8	1660	105	<1	<1	882	882	<20	<50	<100	<50	<50				
JMR4WA	12-Nov-2019	6.5	7.51	6161	6230	4310	287	228	716	7	1660	100	<1	<1	763	763	<20	<50	2170	850	3020				
JMR4WA	20-Apr-2020	6.56	7.36	6133	6320	3800	244	236	683	8	1660	98	<1	<1	704	704	<20	<50	<100	<50	<50				
JMR4WA	16-Nov-2020	7.26	7.88	4197	4040	2270	77	68	743	4	1100	66	<1	<1	475	475	<20	<50	<100	<50	<50				

Mackenzie North Groundwater Quality Monitoring
pH, EC, TDS, Major Ions, Hydrocarbon Data

Bore ID	Sample Date	pH		Electrical Conductivity		TDS	Major Ions										Total Petroleum Hydrocarbons									
		Field	Lab	Field	Lab	Total Dissolved Solids (TDS)	Calcium	Magnesium	Sodium	Potassium	Chloride	Sulfate	Hydroxide Alkalinity	Carbonate Alkalinity	Bicarbonate Alkalinity	Total Alkalinity	C6 - C9 Fraction	C10 - C14 Fraction	C15 - C28 Fraction	C29 - C36 Fraction	C10 - C36 Fraction (sum)	C10 - C14 Fraction (SVSG)	C15 - C28 Fraction (SVSG)	C29 - C36 Fraction (SVSG)	C10 - C36 (sum) Fraction (SVSG)	
		pH	pH	µS/cm	µS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L				
JMR4WP	05-Oct-2022	7.31	7.89	3952	3990	2180	66	57	733	5	1010	42	<1	<1	486	486	<20	<50	<100	<50	<50					
JMR4WP2	16-May-2023	7.2	8.29	3946	3510	2170	67	58	726	5	1040	40	<1	<1	462	462	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JMR4WP2	22-Nov-2023	7.26	8.07	3624	4320	2390	71	64	722	5	1050	41	<1	<1	457	457	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JMR4WP2	08-Feb-2024	7.3	7.86	3448	3790	2100	65	56	614	7	964	39	<1	<1	469	469	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JMR4WP2	08-May-2024	7.21	8.11	3894	4150	2340	79	66	707	5	1090	39	<1	<1	477	477	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JMR4WP2	06-Aug-2024	7.08	8.09	4269	4290	2340	75	67	761	5	1080	35	<1	<1	526	526	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JMR4WP2	13-Nov-2024	7.15	7.72	4345	4200	2330	72	60	714	4	1080	38	<1	<1	477	477	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JMR4WP2	25-Feb-2025	7.03	7.83	3976	4190	2350	75	63	699	4	1110	37	<1	<1	473	473	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JN1119E	13-Nov-2019	8.6	8.35	17353	18000	11400	98	99	3550	10	6300	3	<1	5	119	124	<20	<50	<100	80	80					
JN1119E	20-Apr-2020	11.97	11.6	13343	13100	7670	90	<1	2550	17	3860	11	396	113	<1	509	<20	50	170	<50	220					
JN1119E	16-Nov-2020	11.88	11.6	13958	12800	6880	81	<1	2680	18	4060	10	468	109	<1	578	<20	50	280	<50	330					
JN1119E	26-Jan-2021	11.97	11.4	12691	11400	5310	7	<1	2240	12	3520	16	349	308	<1	657	<20	<50	240	<50	240					
JN1119E	19-May-2021	11.98	11.6	11974	11100	6360	<1	<1	2240	12	3290	16	433	294	<1	727	<20	<50	210	<50	210					
JN1119E	24-Jan-2022	12.08	12	11791	11300	6340	22	<1	2250	12	2870	18	712	253	<1	964	<20	70	200	<50	270					
JN1119E	08-Jun-2022	12.01	11.6	10851	10300	5770	5	<1	2300	11	3100	14	379	394	<1	773	<20	50	130	<50	180					
JN1119E	05-Oct-2022	12.03	11.8	12838	12700	5910	15	<1	2470	11	3140	12	733	340	<1	1070	<20	50	110	<50	160					
JN1119E	16-May-2023	12.04	12	12822	11800	5390	94	<1	2240	11	2580	16	805	414	<1	1220	<20	80	140	<50	220	<50	<100	<50	<50	
JN1119E	14-Aug-2023	12.01	12.1	14181	14400	6300	172	<1	2530	11	3160	13	1030	268	<1	1300	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JN1119E	21-Nov-2023	11.73	12	13844	12700	6060	151	<1	2190	10	2980	16	850	309	<1	1160	<20	70	110	<50	180	<50	<100	<50	<50	
JN1119E	08-Feb-2024	11.71	12.3	13348	13300	6590	230	<1	1940	10	2510	16	1400	295	<1	1700	<20	<50	<100	<50	<50	<50	<100	<50	<50	
JN1119E	08-May-2024	11.73	12.3	12848	12700	5200	267	<1	1870	10	2260	16	1410	140	<1	1550	<20	80	<100	<50	80	<50	<100	<50	<50	
JN1119E	04-Sep-2024	11.62	12.2	13870	13400	5350	228	<1	1840	10	2320	15	1430	161	<1	1590	<20	50	<100	<50	50	<50	<100	<50	<50	

Mackenzie North Groundwater Quality Monitoring
Dissolved Metals/Metalloids Data

Bore ID	Sample Date	Dissolved Metals																	
		Aluminium mg/L	Arsenic mg/L	Cadmium mg/L	Chromium mg/L	Cobalt mg/L	Copper mg/L	Lead mg/L	Manganese mg/L	Mercury mg/L	Molybdenum mg/L	Nickel mg/L	Selenium mg/L	Silver mg/L	Uranium mg/L	Vanadium mg/L	Zinc mg/L	Boron mg/L	Iron mg/L
JMR22WP	16-Feb-2023	0.06	0.001	<0.0001	0.061	<0.001	0.008	0.002	<0.001	<0.0001	0.094	0.004	<0.01	<0.001	<0.001	<0.01	<0.005	0.14	0.1
JMR22WP	16-May-2023	0.01	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	0.084	<0.0001	0.002	0.001	<0.01	<0.001	<0.001	<0.01	0.011	0.52	0.06
JMR22WP	14-Aug-2023	0.01	0.003	<0.0001	<0.001	<0.001	<0.001	<0.001	0.054	<0.0001	0.003	<0.001	<0.01	<0.001	<0.001	<0.01	0.01	0.56	<0.05
JMR22WP	21-Nov-2023	0.17	0.001	<0.0001	0.062	<0.001	0.011	0.002	<0.001	<0.0001	0.09	0.004	<0.01	<0.001	<0.001	<0.01	0.012	0.12	0.17
JMR22WP	16-Feb-2024	0.06	0.001	<0.0001	0.061	<0.001	0.008	0.002	<0.001	<0.0001	0.094	0.004	<0.01	<0.001	<0.001	<0.01	<0.005	0.14	0.10
JMR22WP	08-May-2024	0.14	0.001	<0.0001	0.054	<0.001	0.007	<0.001	<0.001	<0.0001	0.077	0.004	<0.01	<0.001	<0.001	<0.01	0.007	0.11	0.22
JMR22WP	05-Sep-2024	0.12	0.002	<0.0001	0.046	<0.001	0.005	<0.001	<0.001	<0.0001	0.079	0.003	<0.01	<0.001	<0.001	<0.01	<0.005	0.12	0.25
JMR23WA	16-Feb-2023	<0.01	0.02	<0.0001	<0.001	0.001	<0.001	<0.001	0.822	<0.0001	0.003	0.006	<0.01	<0.001	<0.001	<0.01	<0.005	0.08	2.09
JMR23WA	16-May-2023	0.01	0.005	<0.0001	<0.001	0.001	<0.001	<0.001	0.911	<0.0001	0.002	0.004	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	1.89
JMR23WA	14-Aug-2023	0.01	0.006	<0.0001	<0.001	<0.001	<0.001	<0.001	1.07	<0.0001	0.002	0.004	<0.01	<0.001	<0.001	<0.01	0.036	0.08	2.68
JMR24WP	12-Nov-2019	<0.01	0.002	<0.0001	0.004	<0.001	<0.001	<0.001	0.193	<0.0001	0.008	0.02	<0.01	<0.001	<0.001	<0.01	0.01	0.51	<0.05
JMR24WP	20-Apr-2020	<0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.196	<0.0001	0.001	0.009	<0.01	<0.001	<0.001	<0.01	0.014	0.49	<0.05
JMR24WP	16-Nov-2020	<0.01	0.002	<0.0001	0.002	<0.001	0.003	<0.001	0.214	<0.0001	0.004	0.017	<0.01	<0.001	<0.001	<0.01	0.019	0.36	<0.05
JMR24WP	26-Jan-2021	<0.01	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	0.22	<0.0001	0.002	0.005	<0.01	<0.001	<0.001	<0.01	0.017	0.46	<0.05
JMR24WP	19-May-2021	<0.01	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	0.218	<0.0001	0.002	0.004	<0.01	<0.001	<0.001	<0.01	0.017	0.46	<0.05
JMR24WP	24-Jan-2022	<0.01	0.002	<0.0001	0.016	<0.001	0.002	<0.001	0.248	<0.0001	0.016	0.072	<0.01	<0.001	<0.001	<0.01	0.014	0.51	<0.05
JMR24WP	08-Jun-2022	<0.01	0.002	<0.0001	<0.001	<0.001	0.002	<0.001	0.2	<0.0001	0.001	0.004	<0.01	<0.001	<0.001	<0.01	0.016	0.61	<0.05
JMR24WP	05-Oct-2022	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.219	<0.0001	0.002	0.008	<0.01	<0.001	<0.001	<0.01	0.03	0.55	<0.05
JMR24WP2	20-Apr-2020	<0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.257	<0.0001	0.002	0.005	<0.01	<0.001	<0.001	<0.01	0.012	0.43	0.2
JMR24WP2	17-Nov-2020	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.258	<0.0001	0.002	0.006	<0.01	<0.001	<0.001	<0.01	0.047	0.39	0.21
JMR24WP2	27-Jan-2021	0.02	0.003	<0.0001	0.003	<0.001	<0.001	<0.001	0.321	<0.0001	0.002	0.002	<0.01	<0.001	0.002	<0.01	<0.005	1.26	0.06
JMR24WP2	19-May-2021	<0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.217	<0.0001	0.002	0.003	<0.01	<0.001	<0.001	<0.01	0.011	0.5	0.16
JMR24WP2	24-Jan-2022	#N/A	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.23	<0.0001	0.002	0.004	<0.01	<0.001	<0.001	<0.01	0.008	0.6	<0.05
JMR24WP2	08-Jun-2022	<0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.202	<0.0001	0.003	0.003	<0.01	<0.001	<0.001	<0.01	0.008	0.64	<0.05
JMR24WP2	05-Oct-2022	<0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.204	<0.0001	0.002	0.006	<0.01	<0.001	<0.001	<0.01	0.024	0.59	0.45
JMR24WP2	16-Feb-2023	<0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.168	<0.0001	0.002	0.001	<0.01	<0.001	<0.001	<0.01	0.007	0.6	0.1
JMR24WP2	16-May-2023	0.01	0.003	<0.0001	<0.001	<0.001	<0.001	<0.001	0.219	<0.0001	0.001	0.001	<0.01	<0.001	<0.001	<0.01	0.014	0.5	0.37
JMR24WP2	14-Aug-2023	<0.01	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	0.225	<0.0001	0.002	0.003	<0.01	<0.001	<0.001	<0.01	0.007	0.54	0.05
JMR24WP2	21-Nov-2023	<0.01	0.001	<0.0001	<0.001	<0.001	0.008	<0.001	0.258	<0.0001	0.002	0.002	<0.01	<0.001	<0.001	<0.01	0.046	0.51	0.09
JMR24WP2	08-Feb-2024	<0.01	0.004	<0.0001	<0.001	<0.001	<0.001	<0.001	0.213	<0.0001	0.002	0.003	<0.01	<0.001	<0.001	<0.01	0.013	0.52	0.55
JMR24WP2	08-May-2024	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.221	<0.0001	0.002	<0.001	<0.01	<0.001	<0.001	<0.01	<0.005	0.18	0.20
JMR24WP2	06-Aug-2024	<0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.232	<0.0001	0.001	0.002	<0.01	<0.001	<0.001	<0.01	0.022	0.52	<0.05
JMR24WP2	24-Feb-2025	<0.01	<0.001	<0.0001	<0.001	<0.001	0.005	<0.001	0.369	<0.0001	0.002	0.008	<0.01	<0.001	<0.001	<0.01	0.069	0.48	<0.05
JMR25WA	11-Sep-2018	0.01	<0.001	<0.0001	<0.001	#N/A	0.002	<0.001	#N/A	<0.0001	#N/A	0.001	<0.01	#N/A	#N/A	#N/A	0.014	#N/A	<0.05
JMR25WA	29-Nov-2018	<0.01	<0.001	<0.0001	<0.001	#N/A	0.002	<0.001	0.015	<0.0001	<0.001	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	<0.05
JMR25WA	24-Jan-2019	<0.01	<0.001	<0.0001	0.001	<0.001	0.001	<0.001	0.016	<0.0001	<0.001	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	<0.05
JMR25WA	27-Mar-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.01	<0.0001	<0.001	0.001	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	<0.05
JMR25WA	15-May-2019	<0.01	<0.001	<0.0001	<0.001	0.001	<0.001	<0.001	0.088	<0.0001	<0.001	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	<0.05
JMR25WA	25-Jul-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.006	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	<0.05
JMR25WA	12-Nov-2019	<0.01	<0.001	0.0002	<0.001	<0.001	0.005	<0.001	0.022	<0.0001	<0.001	0.005	<0.01	<0.001	<0.001	<0.01	0.013	<0.05	<0.05
JMR25WA	20-Apr-2020	<0.01	<0.001	<0.0001	<0.001	0.003	<0.001	<0.001	0.216	<0.0001	<0.001	0.012	<0.01	<0.001	<0.001	<0.01	0.005	<0.05	<0.05
JMR25WA	16-Nov-2020	<0.01	<0.001	<0.0001	<0.001	<0.001	0.001	<0.001	0.055	<0.0001	<0.001	0.007	<0.01	<0.001	<0.001	<0.01	0.011	<0.05	<0.05
JMR25WA	26-Jan-2021	<0.01	0.001	<0.0001	<0.001	0.006	<0.001	<0.001	0.769	<0.0001	<0.001	0.014	<0.01	<0.001	0.002	<0.01	<0.005	<0.05	0.09
JMR25WA	19-May-2021	<0.01	0.002	<0.0001	<0.001	0.01	<0.001	<0.001	1.9	<0.0001	0.001	0.023	<0.01	<0.001	0.002	<0.01	<0.005	<0.05	0.34
JMR25WA	24-Jan-2022	<0.01	0.004	<0.0001	0.001	0.012	<0.001	<0.001	3.03	<0.0001	0.002	0.021	<0.01	<0.001	0.001	<0.01	0.006	0.07	4.43
JMR4WA	09-Sep-2018	<0.01	<0.001	<0.0001	<0.001	#N/A	<0.001	<0.001	#N/A	<0.0001	#N/A	<0.001	<0.01	#N/A	#N/A	#N/A	<0.005	#N/A	5.61
JMR4WA	18-Nov-2018	<0.01	<0.001	<0.0001	<0.001	#N/A	<0.001	<0.001	1.64	<0.0001	<0.001	<0.001	<0.01	<0.001	0.001	<0.01	<0.005	0.13	5.9
JMR4WA	24-Jan-2019	<0.01	<0.001	<0.0001	0.002	<0.001	<0.001	<0.001	1.94	<0.0001	<0.001	0.001	<0.01	<0.001	0.001	<0.01	<0.005	<0.05	6.69
JMR4WA	27-Mar-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.9	<0.0001	<0.001	<0.001	<0.01	<0.001	0.002	<0.01	<0.005	0.05	6.49
JMR4WA	15-May-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.67	<0.0001	<0.001	<0.001	<0.01	<0.001	0.002	<0.01	<0.005	<0.05	6.45
JMR4WA	24-Jul-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.88	<0.0001	<0.001	<0.001	<0.01	<0.001	0.001	<0.01	<0.005	0.06	6.92
JMR4WA	12-Nov-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.72	<0.0001	<0.001	0.004	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	5.54
JMR4WA	20-Apr-2020	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.55	<0.0001	<0.								

Mackenzie North Groundwater Quality Monitoring
Dissolved Metals/Metalloids Data

Bore ID	Sample Date	Dissolved Metals																	
		Aluminium mg/L	Arsenic mg/L	Cadmium mg/L	Chromium mg/L	Cobalt mg/L	Copper mg/L	Lead mg/L	Manganese mg/L	Mercury mg/L	Molybdenum mg/L	Nickel mg/L	Selenium mg/L	Silver mg/L	Uranium mg/L	Vanadium mg/L	Zinc mg/L	Boron mg/L	Iron mg/L
JMR4WA	16-Nov-2020	<0.01	0.015	<0.0001	<0.001	<0.001	0.015	<0.001	0.075	<0.0001	0.004	0.007	<0.01	<0.001	0.002	<0.01	0.061	0.16	<0.05
JMR4WA	26-Jan-2021	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.93	<0.0001	<0.001	0.008	<0.01	<0.001	0.002	<0.01	0.01	0.05	5.11
JMR4WA	19-May-2021	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.59	<0.0001	<0.001	0.006	<0.01	<0.001	0.002	<0.01	<0.005	<0.05	4.57
JMR4WA	24-Jan-2022	<0.01	<0.001	<0.0001	0.013	<0.001	<0.001	<0.001	1.5	<0.0001	0.012	0.062	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	4.64
JMR4WA	08-Jun-2022	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.64	<0.0001	<0.001	0.017	<0.01	<0.001	0.002	<0.01	0.006	0.09	3.9
JMR4WA	05-Oct-2022	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.49	<0.0001	<0.001	0.005	<0.01	<0.001	0.001	<0.01	<0.005	<0.05	5.36
JMR4WA	15-May-2023	0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.23	<0.0001	<0.001	0.004	<0.01	<0.001	<0.001	<0.01	0.062	0.06	3.67
JMR4WA	14-Aug-2023	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.39	<0.0001	<0.001	0.003	<0.01	<0.001	<0.001	<0.01	0.048	0.05	3.99
JMR4WA	22-Nov-2023	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.24	<0.0001	0.002	0.002	<0.01	<0.001	<0.001	<0.01	0.072	0.07	3.31
JMR4WA	08-Feb-2024	<0.01	0.004	<0.0001	<0.001	<0.001	<0.001	<0.001	0.971	<0.0001	<0.001	0.004	<0.01	<0.001	<0.001	<0.01	0.013	0.09	1.75
JMR4WA	08-May-2024	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.18	<0.0001	0.002	0.003	<0.01	<0.001	<0.001	<0.01	0.052	0.06	2.18
JMR4WA	06-Aug-2024	<0.01	0.001	<0.0001	<0.001	<0.001	0.003	<0.001	1.20	<0.0001	<0.001	0.003	<0.01	<0.001	<0.001	<0.01	0.109	0.08	2.02
JMR4WA	13-Nov-2024	<0.01	0.002	<0.0001	<0.001	<0.001	0.003	<0.001	1.2	<0.0001	<0.001	0.006	<0.01	<0.001	<0.001	<0.01	0.071	0.07	1.65
JMR4WA	25-Feb-2025	<0.01	<0.001	<0.0001	<0.001	0.001	0.008	<0.001	1.26	<0.0001	0.002	0.01	<0.01	<0.001	<0.001	<0.01	0.125	0.09	1.7
JMR4WP	09-Sep-2018	<0.01	<0.001	<0.0001	<0.001	#N/A	<0.001	<0.001	#N/A	<0.0001	#N/A	0.001	<0.01	#N/A	#N/A	#N/A	<0.005	#N/A	0.14
JMR4WP	18-Nov-2018	<0.01	<0.001	<0.0001	<0.001	#N/A	<0.001	<0.001	0.096	<0.0001	0.001	<0.001	<0.01	<0.001	<0.001	<0.01	0.016	0.25	0.21
JMR4WP	24-Jan-2019	<0.01	<0.001	<0.0001	0.001	<0.001	<0.001	<0.001	0.104	<0.0001	<0.001	0.001	<0.01	<0.001	<0.001	<0.01	0.006	0.18	0.13
JMR4WP	27-Mar-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.11	<0.0001	0.001	<0.001	<0.01	<0.001	<0.001	<0.01	0.009	0.19	0.13
JMR4WP	15-May-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	0.001	<0.001	0.111	<0.0001	0.001	<0.001	<0.01	<0.001	<0.001	<0.01	0.012	0.17	0.1
JMR4WP	25-Jul-2019	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.107	<0.0001	0.001	<0.001	<0.01	<0.001	<0.001	<0.01	0.007	0.21	0.07
JMR4WP	16-Nov-2020	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	1.6	<0.0001	<0.001	0.012	<0.01	<0.001	0.002	<0.01	0.012	<0.05	4.17
JMR4WP	26-Jan-2021	<0.01	0.021	<0.0001	<0.001	0.001	<0.001	<0.001	0.178	<0.0001	0.006	0.003	<0.01	<0.001	0.001	<0.01	0.007	0.16	0.5
JMR4WP	19-May-2021	<0.01	0.014	<0.0001	<0.001	<0.001	<0.001	<0.001	0.135	<0.0001	0.004	0.006	<0.01	<0.001	<0.001	<0.01	<0.005	0.14	<0.05
JMR4WP	24-Jan-2022	<0.01	0.005	<0.0001	0.003	<0.001	<0.001	<0.001	0.152	<0.0001	0.006	0.02	<0.01	<0.001	<0.001	<0.01	<0.005	<0.05	0.15
JMR4WP	08-Jun-2022	<0.01	0.004	<0.0001	<0.001	<0.001	<0.001	<0.001	0.141	<0.0001	0.003	0.019	<0.01	<0.001	<0.001	<0.01	<0.005	0.23	0.07
JMR4WP	05-Oct-2022	<0.01	0.004	<0.0001	<0.001	<0.001	<0.001	<0.001	0.171	<0.0001	0.007	0.009	<0.01	<0.001	<0.001	<0.01	<0.005	0.18	<0.05
JMR4WP2	16-May-2023	0.01	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.187	<0.0001	0.002	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.18	0.13
JMR4WP2	22-Nov-2023	0.01	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	0.152	<0.0001	0.002	<0.001	<0.01	<0.001	<0.001	<0.01	0.006	0.19	0.14
JMR4WP2	08-Feb-2024	<0.01	0.002	<0.0001	0.001	<0.001	<0.001	<0.001	0.194	<0.0001	0.004	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.18	0.21
JMR4WP2	08-May-2024	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.221	<0.0001	0.002	<0.001	<0.01	<0.001	<0.001	<0.01	<0.005	0.18	0.20
JMR4WP2	06-Aug-2024	<0.01	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	0.176	<0.0001	<0.001	<0.001	<0.01	<0.001	<0.001	<0.01	<0.005	0.20	0.29
JMR4WP2	13-Nov-2024	<0.01	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	0.192	<0.0001	<0.001	0.005	<0.01	<0.001	<0.001	<0.01	<0.005	0.22	0.31
JMR4WP2	25-Feb-2025	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	0.209	<0.0001	0.001	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.2	0.2
JN1119E	13-Nov-2019	<0.01	0.007	<0.0001	<0.001	<0.001	<0.001	<0.001	0.01	<0.0001	0.007	0.002	<0.01	<0.001	<0.001	<0.01	0.009	0.52	<0.05
JN1119E	20-Apr-2020	0.07	0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.038	0.001	<0.01	<0.001	<0.001	<0.01	<0.005	0.21	<0.05
JN1119E	16-Nov-2020	0.02	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0011	0.05	0.003	<0.01	<0.001	<0.001	<0.01	0.011	0.18	<0.05
JN1119E	26-Jan-2021	0.02	0.002	0.0002	<0.001	<0.001	<0.001	<0.001	<0.001	0.0003	0.077	0.001	<0.01	<0.001	<0.001	<0.01	<0.005	0.18	<0.05
JN1119E	19-May-2021	0.02	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0001	0.066	0.003	<0.01	<0.001	<0.001	<0.01	<0.005	0.14	<0.05
JN1119E	24-Jan-2022	0.24	0.001	<0.0001	0.001	<0.001	<0.001	<0.001	<0.001	0.0002	0.065	0.009	<0.01	<0.001	<0.001	<0.01	<0.005	0.16	<0.05
JN1119E	08-Jun-2022	0.03	0.002	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0001	0.06	0.002	<0.01	<0.001	<0.001	<0.01	0.006	0.22	<0.05
JN1119E	05-Oct-2022	0.06	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.058	0.001	<0.01	<0.001	<0.001	<0.01	<0.005	0.21	<0.05
JN1119E	16-May-2023	0.02	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.069	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.13	<0.05
JN1119E	14-Aug-2023	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0003	0.056	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.23	<0.05
JN1119E	21-Nov-2023	0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.055	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.17	<0.05
JN1119E	08-Feb-2024	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.054	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.13	<0.05
JN1119E	08-May-2024	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.051	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.10	<0.05
JN1119E	05-Sep-2024	<0.01	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0001	0.054	0.002	<0.01	<0.001	<0.001	<0.01	<0.005	0.14	<0.05